


# AccurioPress C6100/C6085 DATASHEET


To build up their business by completing a wider range of high-volume jobs more efficiently in the fast-growing digital high-volume print market, in-house printers and graphic communications providers need the best performance available on the market. Konica Minolta's flagship models for digital colour on-demand printing reliably deliver the high level of image quality and productivity at competitive prices that you need to satisfy your clients' growing demands. With very fast 100 ppm, and identical high-speed printing for a wide range of paper weights, the AccurioPress C6100/ C6085 achieves superior productivity fast – giving you more options to grow your business.



Accurio Press C6100/C6085

### YOUR ADVANTAGES WITH THE AccurioPress C6100/C6085





## \* Only recommended paper \*\* Requires PF-711

### Recommended configurations



### Technical specifications

### SYSTEM SPECIFICATIONS

Resolution	1,200 x 1,200 dpi x 8 bit
	1,200 x 3,600 dpi equivalent
Paper weight	52-400 gsm
Duplex unit	Non-stack type; 52-400 gsm*
Paper sizes	330,2 x 487,7 mm
Maximum image area	321 x 480 mm
Paper input capacity	Max.: 13,890 sheets
Paper output capacity	Max.: 13,600 sheets
Main unit dimensions (W x D x H)	950 x 950 x 1,319 mm
Main unit weight	440 kg

### **PRODUCTIVITY**

Accuriopress C6100		
A4 - max. per minute	100 ppm	
A3 - max. per minute	53 ppm	
SRA3 - max. per minute	50 ppm	
A4 - max. per hour	5,455 pph	
A3 - max. per hour	2,902 pph	
SRA3 - max. per hour	2,711 pph	
AccurioPress C6085		
A4 - max. per minute	85 ppm	
A3 - max. per minute	46 ppm	
SRA3 - max. per minute	43 ppm	
A4 - max. per hour	4,636 pph	
A3 - max. per hour	2,520 pph	
CDA2 may not have	O OEC nob	
SRA3 - max. per hour	2,356 pph	

### CONTROLLER

External EFI® Fiery Controller	IC-313
External EFI® Fiery Controller	IC-315
External CREO® Controller	IC-314
Internal Konica Minolta own Controller	IC-604

### SCANNER SPECIFICATIONS\*\*

Scan speed A4	Up to 160 ipm
Scan resolution	Max.: 600 x 600 dpi
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP;
	Scan-to-SMB; Scan-to-eMail
Scan formats	TIFF (single and multi page); PDF

### COPIER SPECIFICATIONS\*\*

Gradations	256 gradations
Magnification	25-400%; in 0.1% steps
Multiple copies	1-9.999

### **ACCESSORIES**

IQ-501
EF-104
WT-512
PF-707m
PF-711
HT-506
RU-511
HM-101
GP-501
RU-510
GP-502
FD-503
LS-506
SD-506
SD-513
CR-101
TU-504
FD-504
MK-737
PB-503
FS-532
SD-510
PK-522
PI-502
SD-500/SD-350

- All specifications refer to A4-size paper of 80 gsm quality.
  The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
  The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
  The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Some of the product individuals contain opionial accessories.
  Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
  Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.